

Performance Framework GR Rd 10

Khoti Gausi
gausik@zw.afro.who.int

- The total number of indicators should not exceed 20, if possible, but these should be sufficient to monitor all key activities, including those focusing on key populations.
- The indicators should be:
 - harmonized with national plans and drawn from national lists of indicators.
 - selected for their usefulness to measure performance.
 - specific and measurable so that the targets set for each indicator are robust, achievable, and time bound

Goals

- Reduce by 80% the impact of malaria in Angola by (MDG x target), through the efficiency improvement of intervention implementation for the control of malaria, that will lead to a reduction in morbidity-mortality resulting from malaria and its socio-economic consequences.
- Contribuer à la réduction de 50% de la morbidité et de la mortalité attribuables au paludisme d'ici 2015
- To reduce malaria related morbidity and mortality in the population, especially in children under five and pregnant women.

Indicators - Outcome

- 100% of the general population with simple malaria have access to ACTs, in line with the National Policy for Treatment, in the 24 hours following the onset of symptoms;

Full list of outcome indicators – 1 country

- Pourcentage d'enfants de moins de 5 ans (et autres groupes cibles) souffrant de paludisme/fièvre et recevant un traitement approprié dans un délai de 24 heures (structure communautaire/sanitaire)
- Pourcentage d'enfants de moins de 5 ans (et autres groupes cibles) souffrant de paludisme sans complications, correctement pris en charge par des structures sanitaires
- Pourcentage d'enfant de moins de 5 ans (et autres groupes cibles) admis avec un paludisme grave et correctement pris en charge dans des structures sanitaires
- Pourcentage d'enfants de moins de 5 ans dormant sous une moustiquaire imprégnée
- Pourcentage de femmes enceintes (et autres groupes cibles) dormant sous une moustiquaire imprégnée
- Pourcentage de femmes enceintes suivant un traitement préventif intermittent (TPI) dans le cadre d'une politique nationale (spécifique à l'Afrique sub-saharienne)

Objectives

- 100% of provinces nationally have an efficient M&E system
- Renforcer les capacités de gestion, de suivi/évaluation et de coordination du programme
- At least 80% of people living in malaria risk areas (endemic and epidemic zones) use LLINs by the end of 2015
- To ensure effective management of malaria control activities and the use of evidence-based information for policy planning by the National Malaria Control Program